


Lifting and Girder Clamps


Rail Lifting Clamps type CR

For handling rail sections.

	Model	WLL (tonnes)	Weight (kg)
	CR750	1	13
	CR21	2	13


Pile Pitching Clamp type CP (fitted with 15 metres of rope)

These clamps are designed specifically for pitching sheet steel piling and have the advantage that a rope is fitted for easy release from ground level.

	Model	WLL (tonnes)	Slot Depth (mm)	Slot Width (mm)	Pin Ø (mm)	Weight (mm)
	CP2	2	228	20	20	19
	CP3	3	228	26	30	23
	CP5	5	228	35	30	33

Pile Pulling Clamp type PP

The pile pulling clamp is designed to pull out driven piles. It is extremely difficult to determine the forces required to pull out a driven pile, contractors should take extra care not to exceed the WLL of the clamp.

	Model	WLL (tonnes)	Jaw Opening (mm)	Weight (kg)
	PP8	8	0 - 30	28
	PP12	12	0 - 30	52

Screwlok Clamp type SC

Screwlok clamps are designed to fit the flanges of RSJ's and UB's as a semi-permanent lifting point.

	Model	WLL (tonnes)	Flange Size (mm)	Weight (kg)
	SC921	1	75 - 210	5
	SC922	2	75 - 210	6
	SC923	3	100 - 270	8
	SC923/L	3	75 - 305	9
	SC925	5	100 - 270	10
	SC925/L	5	75 - 305	12
	SC9210	10	75 - 305	16

Round Stock Grab type TRu

Scissor type grab ideal for handling round materials such as bar or tube.

	Model	WLL (tonnes)	Pipe Ø (mm)	Weight (kg)
	TRu 0.5/200	0.5	35 - 200	15
	TRu 1.5/300	1.5	80 - 300	24
	TRu 3.0/300	3.0	80 - 300	49
	TRu 4.0/600	4.0	200 - 600	200