


## Alloy Dee and Bow Shackles to EN 13889



Dee Shackles

WLL Tonnes	d mm	D mm	W mm	S mm	e mm
0.50	6	8	12	22	16
0.75	8	10	13.5	26	19
1.00	10	11	17	32	23
1.50	11	13	19	37	27
2.00	13	16	20	41	30
3.25	16	19	27	51	38
4.75	19	22	32	60	46
6.50	22	25	36	71	53
8.50	25	28	43	81	61
9.50	28	32	46	90	68
12.00	32	35	51	100	76
13.50	35	38	57	111	84
17.00	38	42	60	122	92
25.00	45	50	73	146	106
35.00	50	57	83	171	119
55.00	65	70	105	203	145

Bow Shackles

WLL Tonnes	d mm	D mm	W mm	S mm	e mm
0.33	5	6	9.5	22	14
0.50	6	8	12	29	16
0.75	8	10	13.5	31	19
1.00	10	11	17	37	23
1.50	11	13	19	43	27
2.00	13	16	20	48	30
3.25	16	19	27	60	38
4.75	19	22	32	71	46
6.50	22	25	36	84	53
8.50	25	28	43	95	61
9.50	28	32	46	108	63
12.00	32	35	51	119	76
13.50	35	38	57	133	84
17.00	38	42	60	146	92
25.00	45	50	73	177	106
35.00	50	57	83	197	119
55.00	65	70	105	260	145

Available with a screw pin or a nut, bolt and split pin.